USA Softball Non-Approved Bat List with Certification Marks

2/12/2020

Bass Quake

Easton SCN11BH

New

Easton SCN3

New

Easton SCN5B

New

Easton SCN7B

New

Easton SCN9

New

Easton SCX2 Synergy

Easton SCX3

New

Louisville Slugger FP1369

Louisville Slugger SB34 Genesis

Miken MSF Freak

Miken MSUM Ultra Maxload

Worth EST9

Worth SBWKA

Combat VIRSP3 Lady Virus

Easton SCN1B

New

Easton SCN4B

New

Easton SCN6B

New

Easton SCN8

New

Easton SCX14

New

Easton SCX22 Synergy 2

Louisville Slugger FP136

Louisville Slugger FPC305 Catalyst (-8)

Louisville Slugger SB404

Miken MSU Ultra

Nokona Tomahawk

Worth QESTFP

Worth WWSC Wicked Comp. (SP Only)

Easton SCN1

New

Easton SCN2B

New

Easton SCN5

New

Easton SCN7

New

Easton SCN8B

New

Easton SCX14B

New

Easton SCX24B

New

Louisville Slugger FP1368

Louisville Slugger SB304

Louisville Slugger SB73V TPS Voltage

Miken MSU2 Ultra II

Schutt Red/Silver Schutt Bat

Worth SBWK(Wicked)

Worth WWSCA

USA Softball Non-Approved Bat List with Certification Marks

2/12/2020

Worth XEST9X

Worth XGold



Worth XPST4

Worth XRed

Worth XWICKX Wicked (SP Only)

For a complete list of approved bats go to the certified equipment section of www.usasoftball.com

Last Updated: January 26, 2016

USA Softball Non-Approved Bat List with ASA Certification Mark

February 12, 2020

This list depicts the previously USA Softball certified bats that failed a USA Softall sponsored field audit and that also carry the 2000 or 2004 ASA Certification Mark. This list is intended for informational purposes only.

Manufacturer	Bat Name
Bass	Quake

Combat	VIRSP3 Lady Virus

Easton	SCN1

Easton	SCN11BH

Easton	SCN1B

Easton	SCN2B

Easton	SCN3

USA Softball Non-Approved Bat List with ASA Certification Mark

Manufacturer	Bat Name
Easton	SCN4B

Easton	SCN5

Easton	SCN5B

Easton	SCN6B

Easton	SCN7

Easton	SCN7B

Easton	SCN8

Easton	SCN8B

USA Softball Non-Approved Bat List with ASA Certification Mark

Manufacturer	Bat Name
Easton	SCN9

Easton	SCX14

Easton	SCX14B

Easton	SCX2 Synergy

Easton	SCX22 Synergy 2

Easton	SCX24B

Easton	SCX3



Louisville Slugger	FP136

USA Softball Non-Approved Bat List with ASA Certification Mark

Manufacturer	Bat Name
Louisville Slugger	FP1368

Louisville Slugger	FP1369

Louisville Slugger	FPC305 Catalyst (-8)

Louisville Slugger	SB304

Louisville Slugger	SB34 Genesis

Louisville Slugger	SB404

Louisville Slugger	SB73V TPS Voltage

Miken	MSF Freak

USA Softball Non-Approved Bat List with ASA Certification Mark

Manufacturer	Bat Name
Miken	MSU Ultra
Miken	MSU2 Ultra II
Miken	MSUM Ultra Maxload
Nokona	Tomahawk
Schutt	Red/Silver Schutt Bat
Worth	EST9
Worth	QESTFP
Worth	SBWK(Wicked)

USA Softball Non-Approved Bat List with ASA Certification Mark

Manufacturer	Bat Name
Worth	SBWKA
Worth	WWSC Wicked Comp. (SP Only)
Worth	WWSCA
Worth	XEST9X
Worth	XGold
	
Worth	XPST4
Worth	XRed
Worth	XWICKX Wicked (SP Only)

USA Softball Non-Approved Bat List w/2004 ASA Cert Mark

February 12, 2020

This list depicts the previously USA Softball certified bats that failed a USA Softball sponsored field audit and that also carry the most recent ASA Certification Mark (2004). This list is intended for informational purposes only.

Manufacturer	Bat Name
Bass	Quake

Combat	VIRSP3 Lady Virus

Easton	SCN1

Easton	SCN11BH

Easton	SCN1B



Easton	SCN2B

Easton	SCN3

USA Softball Non-Approved Bat List w/2004 ASA Cert Mark

Manufacturer	Bat Name
Easton	SCN4B

Easton	SCN5

Easton	SCN5B

Easton	SCN6B

Easton	SCN7

Easton	SCN7B

Easton	SCN8

Easton	SCN8B

USA Softball Non-Approved Bat List w/2004 ASA Cert Mark

Manufacturer	Bat Name
Easton	SCN9

Easton	SCX14

Easton	SCX14B



Easton	SCX24B

Easton	SCX3

Louisville Slugger	FP136

Louisville Slugger	FP1368

Louisville Slugger	FP1369

USA Softball Non-Approved Bat List w/2004 ASA Cert Mark

Manufacturer	Bat Name
Louisville Slugger	FPC305 Catalyst (-8)

Louisville Slugger	SB73V TPS Voltage

Nokona	Tomahawk

Schutt	Red/Silver Schutt Bat

For a complete list of approved bats go to the certified equipment section of www.usasoftball.com
Last Updated: January 26, 2016